Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) accord

according to Regulation (EU) 2020/878						
Article Print o Versio	date:	521100 10.01.2024 1.24	High End Polish Revision date: 10.0 Issue date: 23.03.2		GB Page 1 / 9	Seit 1892
SEC	TION 1: Ide	entification of the	he substance/mixtu	ire and of the compan	y/undertaking	
1.1.	product id	entifiers				
		(manufacturer/sup e/designation	oplier)	521100 High End Polish UFI: XNXA-YVQG-W20	M-7K7D	
1.2.	Relevant id	dentified uses of	the substance or mix	ture and uses advised a	against	
	Product for	dentified uses: surface repair and				
1.3.			e safety data sheet			
		rer/supplier onig GmbH & Co. I	KG			
	An der Ros			Telephone: +49 (0)6101		
	61138 Niec Germany	lerdorfelden		Telefax: +49 (0)6101 53 E-mail: Info@heinrich-k Website: www.heinrich-	oenig.de	
	Departmer	nt responsible for	information:			
	Laboratory			Telephone: +49 (0)6101		
	Only availa	ble during office h	ours:	Mon - Thurs 08:00 to 16 Friday 08:00 - 12:30	5:00	
	E-mail (con	npetent person)		SDB@heinrich-koenig.c	de	
1.4.	Emergency	y telephone num	ber			
	Emergency	telephone numbe	Pr	Emergency CONTACT GmbH +49 (0)6132-844		ЗК

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Skin Irrit. 2 / H315 Skin corrosion/irritation Causes skin irritation. Aquatic Chronic 3 / H412 Harmful to aquatic life with long lasting effects. Hazardous to the aquatic environment 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Warning **Hazard statements** H315 Causes skin irritation. H412 Harmful to aquatic life with long lasting effects. **Precautionary statements** P264 Wash hands thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves and eye/face protection. P501.2 Dispose of contents/container via the national/local hazardous waste disposal. Hazard components for labelling not determined Supplemental hazard information not determined 2.3. Other hazards No information available. **SECTION 3: Composition/information on ingredients**





0,1 < 0,25

icle No.: nt date: rsion:	521100 10.01.2024 1.24	High End Polish Revision date: 10.01.2024 Issue date: 23.03.2023	GB Page 2 / 9	Seit 1892
Description Mainter		ntenance product		
Classific	cation according	to Regulation (EC) No 1272/2008 [CLP]		
EC No. CAS No. Index No	. Des	ACH No. signation ssification // Remark		weight-%
265-149-		2119484819-18-xxxx		
64742-47 649-422-	7-8 Dis -00-2 Ski	illates (petroleum), hydrotreated light n Irrit. 2 H315 / STOT SE 3 H336 / Asp. 411 / EUH066	Tox. 1 H304 / Aquatic Chron	10 < 20 ic
940-730-	Hyd	2120081657-46-xxxx Irocarbons, C15-C19, n-alkanes, isoalkanes . Tox. 1 H304 / EUH066	s, <2% aromatics	7 < 10
203-868-	-0 01-	2119488930-28		

Additional information

111-42-2

603-071-00-1

Full text of classification: see section 16

2,2'-iminodiethanol

/ STOT RE 2 H373

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Acute Tox. 4 H302 / Skin Irrit. 2 H315 / Eye Dam. 1 H318 / Repr. 2 H361

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

- 4.2. Most important symptoms and effects, both acute and delayed In all cases of doubt, or when symptoms persist, seek medical advice.
- 4.3. Indication of any immediate medical attention and special treatment needed First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



Article No.:	521100	High End Polish	
Print date:	10.01.2024	Revision date: 10.01.2024	GB
Version:	1.24	Issue date: 23.03.2023	Page 3 / 9

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Further information

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

not determined

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove



Article No.: Print date: Version:	521100 10.01.2024 1.24	High End Polish Revision date: 10.01.2024 Issue date: 23.03.2023	GB Page 4 / 9	Seit 189
	•••		. age . , e	

manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state: Colour:	Liquid milky opaque
	Odour:	characteristic
	Odour threshold:	not determined
	Melting point/freezing point:	n.a.
	Initial boiling point and boiling range:	97 °C Method: calculated.
	Flammability:	Combustible liquid.
	Lower and upper explosion limit: Lower explosion limit: Upper explosion limit:	0,8 Vol-% Method: calculated. not determined
	Flash point:	> 62 °C Method: calculated.
	Auto-ignition temperature:	not determined
	Decomposition temperature:	not determined
	pH at 20 °C:	not applicable Method: ISO 976
	Kinematic viscosity (20°C)	> 20,5 mm²/s
	Solubility(ies): Water solubility at 20 °C:	partially soluble
	Partition coefficient: n-octanol/water:	see section 12
	Vapour pressure at 20 °C:	0,0003 mbar Method: calculated.
	Density and/or relative density: Density at 20 °C:	0,99 g/cm³ Method: calculated.
	Relative vapour density:	not determined
	particle characteristics:	not applicable
9.2.	Other information	
	Solid content:	7,10 weight-%
	solvent content: Organic solvents: Water:	19 weight-% 74 weight-%
SEC	TION 10: Stability and reactivity	



Article No.: Print date: Version:	521100 10.01.2024 1.24	High End Polish Revision date: 10.01.2024 Issue date: 23.03.2023	GB Page 5 / 9	Seit 1892				
10.1. Reactivity								

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. **Incompatible materials** not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Distillates (petroleum), hydrotreated light oral, LD50, Rat: > 5000 mg/kg dermal, LD50, Rabbit: > 2000 mg/kg inhalative (vapours), LC50, Rat: > 5,28 mg/L (4 h)

Hydrocarbons, C15-C19, n-alkanes, isoalkanes, <2% aromatics dermal, LD50, Rat: > 5000 mg/kg dermal, LD50, Rabbit: > 5000 mg/kg inhalative (vapours), LC50, Rat: > 5 mg/L (4 h)

2,2'-iminodiethanol oral, LD50, Rat Method: OECD 401 Harmful if swallowed.

Skin corrosion/irritation; Serious eye damage/eye irritation

Causes skin irritation.

Distillates (petroleum), hydrotreated light Skin (4 h) Causes skin irritation. 2,2'-iminodiethanol Skin (4 h) Causes skin irritation.

eyes Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

2,2'-iminodiethanol Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn child.

STOT-single exposure; STOT-repeated exposure

Distillates (petroleum), hydrotreated light Specific target organ toxicity (single exposure), drowsiness May cause drowsiness or dizziness.

2,2'-iminodiethanol

Specific target organ toxicity (repeated exposure) May cause damage to organs through prolonged or repeated exposure.

		®
Seit	1892	

GB Page 6 / 9

Article No.:	521100	High End Polish
Print date:	10.01.2024	Revision date: 10.01.2024
Version:	1.24	Issue date: 23.03.2023

Aspiration hazard

Distillates (petroleum), hydrotreated light

Aspiration hazard

May be fatal if swallowed and enters airways.

Hydrocarbons, C15-C19, n-alkanes, isoalkanes, <2% aromatics

Aspiration hazard

May be fatal if swallowed and enters airways.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Harmful to aquatic life with long lasting effects.

Distillates (petroleum), hydrotreated light Fish toxicity, LC50, Oncorhynchus mykiss (Rainbow trout) 2 - 100 mg/L (96 h) Toxic to aquatic life with long lasting effects. Daphnia toxicity, EC50, Daphnia magna (Big water flea): 1,4 mg/L (48 h) Fish toxicity, NOEC, fish: 0,098 mg/L (21 d)

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

160305* organic wastes containing hazardous substances



Article No.: Print date: Version:	521100 10.01.2024 1.24	High End Polish Revision date: 10.01.2024 Issue date: 23.03.2023	GB Page 7 / 9	Seit 189	
*Hazaro	lous waste according	g to Directive 2008/98/EC (waste framew	vork directive).		
Appropriate disposal / Package Recommendation Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.					
SECTION 14	: Transport infor	mation			
No dan	gerous good in ser	se of this transport regulation.			
14.1. UN nun	nber or ID number				
		not determined			

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.4.	Facking group	not determined
14.5.	Environmental hazards	
	Land transport (ADR/RID)	not determined
	Marine pollutant	not determined

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not determined

not determined

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

Maximum VOC content of the product in a ready to use condition (in g/L): 188

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Substance/product listed in the following inventories:

DSL listed

TSCA listed

REACH candidate list of substances of very high concern (SVHC) for the approval process.

According to the available data and / or according to the information provided by the suppliers, the product does not contain any substance that is eligible for inclusion in Annex XIV (list of substances subject to authorization) in accordance with Article 57 in conjunction with Article 59 of REACH.

Regulation (EC) 1907/2006. material in question applies.Regulation (EC) 1907/2006 (REACH) Annex XIV (list of substances subject to authorization)

According to the available data and / or according to the information provided by the suppliers, the product does not contain any substance that is considered to be a substance that requires authorization according to REACH Regulation (EC) 1907/2006 Annex XIV.

15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:



t date: sion:	10.01.2024 1.24	Revision date: 10.01.2024 Issue date: 23.03.2023	GB Page 8 / 9	Seit 1892	
EC No. CAS No.	De	signation		REACH No.	
265-149-8 64742-47-8		stillates (petroleum), hydrotreated light		01-2119484819-18-xxxx	
940-730-5	Hy	drocarbons, C15-C19, n-alkanes, isoalkanes,	<2% aromatics	01-2120081657-46-xxxx	
203-868-0 111-42-2	2,2	2'-iminodiethanol		01-2119488930-28	
CTION 16: C	ther information	ation			ł

Full text of classifie	cation in section 3					
Skin Irrit. 2 / H315	Skin corrosion/irritation	Causes skin irritation.				
STOT SE 3 / H336	STOT-single exposure	May cause drowsiness or dizziness.				
Asp. Tox. 1 / H304	Aspiration hazard	May be fatal if swallowed and enters airways.				
Aquatic Chronic 2 / I	H411 Hazardous to the aquatic environment	Toxic to aquatic life with long lasting effects.				
Acute Tox. 4 / H302		Harmful if swallowed.				
Eye Dam. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.				
Repr. 2 / H361	Reproductive toxicity	Suspected of damaging fertility or the unborn				
·		child (state specific effect if known) (state route				
		of exposure if it is conclusively proven that no				
		other routes of exposure cause the hazard).				
STOT RE 2 / H373	STOT-repeated exposure	May cause damage to organs (or state all				
		organs affected, if known) through prolonged or				
		repeated exposure (state route of exposure if it				
		is conclusively proven that no other routes of				
		exposure cause the hazard).				
Classification proc	edure					
	xtures and used evaluation method according to reg	ulation (EC) No 1272/2008 [CLP]				
Skin Irrit. 2	Skin corrosion/irritation	Calculation method.				
Aquatic Chronic 3	Hazardous to the aquatic environment	Calculation method.				
Abbreviations and	-					
ADR	European Agreement concerning the Internationa	al Carriage of Dangerous Goods by Road				
OEL	Occupational Exposure Limit Value	a camage of Bangerous Coold by Road				
BLV	Biological Limit Value					
CAS	Chemical Abstracts Service					
CLP	Classification, Labelling and Packaging					
CMR	Carcinogenic, Mutagenic and Reprotoxic					
DIN	German Institute for Standardization / German ind	dustrial standard				
DNEL	Derived No-Effect Level					
EAKV	European Waste Catalogue Directive					
EC	Effective Concentration					
EC	European Community					
EN	European Standard					
IATA-DGR	International Air Transport Association – Dangero	ous Goods Regulations				
IBC Code		oment of Ships carrying Dangerous Chemicals in Bulk				
ICAO-TI		International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous				
	Goods by Air					
IMDG Code	International Maritime Code for Dangerous Goods	S				
ISO	International Organization for Standardization					
LC	Lethal Concentration					
LD	Lethal Dose					
MARPOL	Maritime Pollution: The International Convention f	for the Prevention of Pollution from Ships				
OECD	Organisation for Economic Cooperation and Deve					
PBT	persistent, bioaccumulative, toxic					
PNEC	Predicted No Effect Concentration					
REACH	Registration, Evaluation, Authorisation and Restri	iction of Chemicals				
RID	Regulations concerning the International Carriage					
UN	United Nations					
VOC	Volatile Organic Compounds					
vPvB	very persistent and very bioaccumulative					
Further information	n					
	-					



Article No .:	521100	High End Polish		
Print date:	10.01.2024	Revision date: 10.01.2024	GB	Seit 18
Version:	1.24	Issue date: 23.03.2023	Page 9 / 9	

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

You can also find current SDSs for our standard products online on our homepage under **Downloads** in the relevant product area.

* Data changed compared with the previous version